



Safety Data Sheet

This safety data sheet complies with the requirements of: 2012 OSHA Hazard Communication Standard (29CFR 1910.1200)

Product name ANSULITE 3% AFFF FP (AFC3B-FP29)

1. Identification

1.1. Product Identifier

Product name ANSULITE 3% AFFF FP (AFC3B-FP29)

1.2. Other means of identification

Product code 443107
Synonyms None
Chemical Family No information available

1.3. Recommended use of the chemical and restrictions on use

Recommended use Fire extinguishing agent.
Uses advised against Consumer use.

1.4. Details of the Supplier of the Safety Data Sheet

Company Name Tyco Fire Protection Products
One Stanton Street
Marinette, WI 54143-2542
Telephone: 715-735-7411
Contact point Product Stewardship at 1-715-735-7411
E-mail address psra@tycofp.com

1.5. Emergency Telephone Number

Emergency telephone CHEMTREC 001-800-424-9300 or 001-703-527-3887

2. Hazards Identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral - Category 4
Serious eye damage/eye irritation - Category 2A

2.2. Label Elements

Signal Word
WARNING

Hazard Statements
Harmful if swallowed
Causes serious eye irritation





Precautionary Statements

Prevention

Wash face, hands and any exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product. Wear eye/face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth.

Disposal

Dispose of contents/container to an approved waste disposal plant.

2.3. Hazards Not Otherwise Classified (HNOC)

Not Applicable.

2.4. Other Information

3. Composition/information on Ingredients

3.1. Mixture

The following component(s) in this product are considered hazardous under applicable OSHA(USA)

Chemical name	CAS No.	weight-%
Ethylene Glycol	107-21-1	15 - 40
2-(2-Butoxyethoxy)ethanol	112-34-5	10 - 30
Polyfluorinated alkyl betaine	Proprietary	1 - 5
Lauryl Imino Propionate, Sodium Salt	14960-06-6	1 - 5

4. First aid measures

4.1. Description of first aid measures

General Advice

If symptoms persist, call a physician. Do not breathe dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing.

Eye Contact

Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.

Skin contact

Wash skin with soap and water. Get medical attention if irritation develops and persists.

Inhalation

Remove to fresh air. If breathing is difficult, give oxygen. (Get medical attention immediately if symptoms occur.).

Ingestion

Rinse mouth. Do not induce vomiting without medical advice. If swallowed, call a poison control center or physician immediately.

4.2. Most Important Symptoms and Effects, Both Acute and Delayed

Symptoms

No information available.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

Note to physicians

Treat symptomatically.

5. Fire-fighting measures



Product code 443107

/ Product name ANSULITE 3% /
AFFF FP (AFC3B-FP29)

PAGE 3 / 9

5.1. Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

5.2. Unsuitable Extinguishing Media

None.

5.3. Specific Hazards Arising from the Chemical

None known.

Hazardous Combustion Products

Carbon oxides, Fluorinated oxides, Nitrogen oxides (NOx), Oxides of sulfur

5.4. Explosion Data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

5.5. Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions Ensure adequate ventilation, especially in confined areas.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental Precautions

Environmental Precautions Prevent further leakage or spillage if safe to do so. Prevent entry into waterways, sewers, basements or confined areas. See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Cleaning Up Pick up and transfer to properly labeled containers.

7. Handling and Storage

7.1. Precautions for Safe Handling

Advice on safe handling Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible Materials Strong oxidizing agents. Strong acids. Strong bases.

**8. Exposure Controls/Personal Protection****8.1. Control Parameters****Exposure guidelines**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL
Ethylene Glycol 107-21-1	STEL: 50 ppm vapor fraction STEL: 10 mg/m ³ inhalable particulate matter, aerosol only TWA: 25 ppm vapor fraction	-	-	100 mg/m ³ (Ceiling)
2-(2-Butoxyethoxy)ethanol 112-34-5	TWA: 10 ppm inhalable fraction and vapor	-	-	-

ACGIH (American Conference of Governmental Industrial Hygienists) OSHA (Occupational Safety and Health Administration of the US Department of Labor) NIOSH IDLH Immediately Dangerous to Life or Health

8.2. Appropriate Engineering Controls

Engineering controls Ensure adequate ventilation, especially in confined areas.

8.3. Individual protection measures, such as personal protective equipment

Eye/Face Protection Avoid contact with eyes. Tight sealing safety goggles.

Skin and Body Protection Wear protective gloves and protective clothing.

Respiratory Protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

Ventilation Use local exhaust or general dilution ventilation to control exposure with applicable limits

8.4. General hygiene considerations

Do not eat, drink or smoke when using this product. Handle in accordance with good industrial hygiene and safety practice.

9. Physical and Chemical Properties**9.1. Information on basic physical and chemical properties**

Physical State	Liquid	Color	Light yellow
Odor	Characteristic		
Odor Threshold	No data available		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	No data available	
Melting point/freezing point	No data available	
Boiling point / boiling range	> 100 °C / 212 °F	
Flash Point	> 100 °C / > 212 °F	
Evaporation Rate	No data available	
Flammability (solid, gas)	No data available	
Flammability limit in air		



Product code 443107

/ Product name ANSULITE 3% /
AFFF FP (AFC3B-FP29)

PAGE 5 / 9

Upper flammability limit:	No data available
Lower flammability limit:	No data available
Vapor Pressure	No data available
Vapor Density	No data available
Specific gravity	No data available
Water Solubility	No data available
Solubility in Other Solvents	No data available
Partition coefficient	No data available
Autoignition Temperature	No data available
Decomposition Temperature	No data available
Kinematic viscosity	No data available
VOC content (%)	50.264

10. Stability and Reactivity

10.1. Chemical Stability

Stable under recommended storage conditions.

10.2. Reactivity

No data available

10.3. Possibility of hazardous reactions

None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

10.4. Conditions to Avoid

Extremes of temperature and direct sunlight.

10.5. Incompatible Materials

Strong oxidizing agents. Strong acids. Strong bases.

10.6. Hazardous decomposition products

Carbon oxides. Nitrogen oxides (NOx). Oxides of sulfur. Fluorinated oxides.

11. Toxicological Information

11.1. Information on Likely Routes of Exposure

Product information

Inhalation	No data available.
Eye Contact	Severely irritating to eyes.
Skin contact	No data available.
Ingestion	Harmful if swallowed.

Component Information



Product code 443107

/ Product name ANSULITE 3% /
AFFF FP (AFC3B-FP29)

PAGE 6 / 9

Acute Toxicity

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Ethylene Glycol 107-21-1	= 4700 mg/kg (Rat)	= 9530 µL/kg (Rabbit) = 10600 mg/kg (Rat)	-
2-(2-Butoxyethoxy)ethanol 112-34-5	= 5660 mg/kg (Rat)	= 2700 mg/kg (Rabbit)	-

11.2. Information on Toxicological Effects

Symptoms No information available.

11.3. Delayed and immediate effects as well as chronic effects from short and long-term exposure

Serious eye damage/eye irritation Severely irritating to eyes.

Carcinogenicity No information available.

Reproductive Toxicity No information available.

STOT - Single Exposure No information available.

STOT - Repeated Exposure No information available.

Target organ effects Central Nervous System, Eyes, Respiratory System, Skin.

Aspiration Hazard No information available.

11.4. Numerical Measures of Toxicity - Product information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 1316 mg/kg
ATEmix (dermal) 18115 mg/kg

12. Ecological Information

12.1. Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Crustacea
Ethylene Glycol 107-21-1	EC50 (96h) 6500 - 13000 mg/L Pseudokirchneriella subcapitata	LC50 (96h) static = 27540 mg/L Lepomis macrochirus LC50 (96h) static = 40761 mg/L Oncorhynchus mykiss LC50 (96h) = 41000 mg/L Oncorhynchus mykiss LC50 (96h) static 14 - 18 mL/L Oncorhynchus mykiss LC50 (96h) static = 16000 mg/L Poecilia reticulata LC50 (96h) static 40000 - 60000 mg/L Pimephales promelas	EC50 (48h) = 46300 mg/L Daphnia magna
2-(2-Butoxyethoxy)ethanol 112-34-5	EC50 (96h) > 100 mg/L Desmodesmus subspicatus	LC50 (96h) static = 1300 mg/L Lepomis macrochirus	EC50 (48h) > 100 mg/L Daphnia magna EC50 (24h) = 2850 mg/L Daphnia magna
1,2-Propanediol 57-55-6	EC50 (96h) = 19000 mg/L Pseudokirchneriella subcapitata	LC50 (96h) static = 51600 mg/L Oncorhynchus mykiss LC50 (96h) static = 51400 mg/L Pimephales promelas LC50 (96h) = 710 mg/L Pimephales promelas LC50 (96h) static 41 - 47 mL/L Oncorhynchus mykiss	EC50 (48h) Static > 1000 mg/L Daphnia magna EC50 (24h) > 10000 mg/L Daphnia magna
Polyethylene Glycol 25322-68-3	-	LC50 (24h) > 5000 mg/L Carassius auratus	-

Concentrate

Method	Biological Test Method: Acute Lethality Using Threespine Stickleback
--------	---



Product code 443107

Product name ANSULITE 3% /
AFFF FP (AFC3B-FP29)

PAGE 7 / 9

	(Gasterosteus aculeatus) (EPS 1/RM/10)
Species	Gasterosteus aculeatus
Endpoint type	LC50
Effective dose	3,180 mg/L
Exposure time	96h

3% Solution

Method Biological Test Method: Acute Lethality Using Threespine Stickleback (Gasterosteus aculeatus) (EPS 1/RM/10)
Species Gasterosteus aculeatus
Endpoint type LC50
Effective dose 67,090 mg/L
Exposure time 96h

12.2. Persistence and Degradability

Chemical Oxygen Demand (mg/L)

Concentrate 750,000
3% Solution 23,000

Concentrate Biological Oxygen Demand (mg/L)

Biological Oxygen Demand (5 Day) 22000
%BOD/COD 2.93
Biological Oxygen Demand (10 Day) 440000
%BOD/COD 58.67
Biological Oxygen Demand (15 Day) 470000
%BOD/COD 62.67
Biological Oxygen Demand (20 Day) 500000
%BOD/COD 66.67

3% Solution Biological Oxygen Demand (mg/L)

Biological Oxygen Demand (5 Day) 300
%BOD/COD 1.30
Biological Oxygen Demand (10 Day) 13000
%BOD/COD 56.52
Biological Oxygen Demand (15 Day) 15000
%BOD/COD 65.22
Biological Oxygen Demand (20 Day) 16000
%BOD/COD 69.57

12.3. Bioaccumulation

No information available.

Chemical name	Partition coefficient
Ethylene Glycol 107-21-1	-1.93

12.4. Other Adverse Effects

No information available



Product code 443107

/ Product name ANSULITE 3% /
AFFF FP (AFC3B-FP29)

PAGE 8 / 9

13. Disposal Considerations

13.1. Waste Treatment Methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging Do not reuse container.

14. Transport Information

DOT NOT REGULATED

TDG NOT REGULATED

MEX NOT REGULATED

ICAO (air) NOT REGULATED

IATA NOT REGULATED

IMDG NOT REGULATED

15. Regulatory Information

15.1. International Inventories

TSCA	Complies
DSL/NDSL	Does not comply
ENCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Does not comply
AICS	Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
 DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
 ENCS - Japan Existing and New Chemical Substances
 IECSC - China Inventory of Existing Chemical Substances
 KECL - Korean Existing and Evaluated Chemical Substances
 PICCS - Philippines Inventory of Chemicals and Chemical Substances
 AICS - Australian Inventory of Chemical Substances

15.2. US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %
Ethylene Glycol - 107-21-1	1.0
2-(2-Butoxyethoxy)ethanol - 112-34-5	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic health hazard	No
Fire Hazard	No



Product code 443107

Product name ANSULITE 3%
AFFP (AFC3B-FP29)

PAGE 9 / 9

Sudden Release of Pressure Hazard No
Reactive Hazard No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Ethylene Glycol 107-21-1	5000 lb	-	RQ 5000 lb final RQ RQ 2270 kg final RQ

15.3. US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical name	California Proposition 65
Ethylene Glycol - 107-21-1	Developmental
Perfluorooctanoic acid - 335-67-1	Developmental Toxicity

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Ethylene Glycol 107-21-1	X	X	X
2-(2-Butoxyethoxy)ethanol 112-34-5	X	-	X
1,2-Propanediol 57-55-6	X	-	X

16. Other information, including date of preparation of the last revision

NFPA	Health Hazards 2	Flammability 1	Instability 0	Physical and chemical properties -
HMIS	Health Hazards 2	Flammability 1	Physical Hazards 0	Personal Protection X

Revision date 11-Jan-2019

Revision note SDS sections updated, 12.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet